## Amendments to the Claims

The listing of claims will replace the previous version, and the listing of claims:

## Listing of Claims

- (Currently amended) A multicolor glass <del>vessel</del> <u>container</u>, comprising:
  - a base <del>vessel</del> container,
- a hardened coating film disposed on an external surface of the base container, and
- a multilayer film <u>disposed on the hardened coating film and</u> composed of two vapor deposition layers <u>whose having</u> refractive indices differ from each other by 0.1 or more, <del>and a hardened coating film interposed between the base vessel and the multilayer film,</del>

wherein the two vapor deposition layers comprises a first layer and a second layer which covers the first layer, the first and second layers being alternately laminated and each having a thickness between 50 and 800 nm, sequentially provided on at least one of an external surface and an internal surface of the base vessel.

wherein the first layer has a refractive index lower than a refractive index of the second layer, and contains at least one layer selected from the group consisting of a silica layer, a chromium layer, a zirconium layer, and an aluminum layer,

wherein the second layer contains a titanium layer,

wherein the hardened coating film comprises at least one material selected from the group consisting of polysiloxane-based resin, melamine resin, phenol resin, urea resin, guanamine resin, and derivatives thereof, and

Serial No. 10/586,163

wherein the hardened coating film has a thicknesses in a range of about 1 to 100  $\mu m_{\tau}$  and a hardness more than 3H in pencil hardness.

- 2. (Currently amended) The multicolor glass vessel container as described in claim 1, wherein the two vapor deposition layers comprise a silica layer and a titanium layer, and are arranged alternately more than two layers.
- 3. (Currently amended) The multicolor glass vessel container as described in claim 1, wherein the multiple vapor deposition layers have respective thicknesses in a range of 50 to 3,000 nm.

## 4-10. (Canceled)

11. (Currently amended) The multicolor glass vessel container as described in claim 1, wherein the hardened layer has [[the]]  $\underline{a}$  hardness between 3H and 5H in pencil hardness in accordance with JIS  $\underline{K5600}$  K5400.

## 12. (Canceled)

- 13. (Currently amended) The multicolor glass vessel container as described in claim 1, wherein the base vessel container comprises a hyaline glass, colored transparent glass or colored semitransparent glass.
- 14. (New) The multicolor glass container as described in claim 11, wherein the multilayer film comprises a plurality of a set of the first and second layers.

Serial No. 10/586,163

15. (New) The multicolor glass container as described in claim 1, wherein said multilayer film generates interference rays having different wavelengths to provide different colors depending on a direction of viewing the glass container.